

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	933294	((determin\$5 or detect\$5 or measur\$5 or test\$5 or monitor\$5 or calculat\$5 or inspect\$5) near6 (part or workpiece or (work adj piece) or object or wafer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 16:55
2	BRS	L2	290756	modulat\$5 near4 (beam or light or signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 16:56
3	BRS	L3	318949	reference near4 (signal light or beam)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 16:56
4	BRS	L4	5314	reflect\$5 with (back near4 lens)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 16:56
5	BRS	L5	229	((determin\$5 or detect\$5 or measur\$5 or test\$5 or monitor\$5 or calculat\$5 or inspect\$5) near6 (part or workpiece or (work adj piece) or object or wafer)) and (modulat\$5 near4 (beam or light or signal)) and (reference near4 (signal light or beam)) and (reflect\$5 with (back near4 lens)) and @ad<=20010215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 16:57
6	BRS	L6	4289	reflect\$5 near5 (back near4 lens)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 16:57
7	BRS	L7	192	((determin\$5 or detect\$5 or measur\$5 or test\$5 or monitor\$5 or calculat\$5 or inspect\$5) near6 (part or workpiece or (work adj piece) or object or wafer)) and (modulat\$5 near4 (beam or light or signal)) and (reference near4 (signal light or beam)) and (reflect\$5 near5 (back near4 lens)) and @ad<=20010215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 16:57
8	BRS	L8	318949	reference near4 (signal or light or beam)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 16:57
9	BRS	L9	192	((determin\$5 or detect\$5 or measur\$5 or test\$5 or monitor\$5 or calculat\$5 or inspect\$5) near6 (part or workpiece or (work adj piece) or object or wafer)) and (modulat\$5 near4 (beam or light or signal)) and (reference near4 (signal or light or beam)) and (reflect\$5 near5 (back near4 lens)) and @ad<=20010215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 16:57

	Type	L #	Hits	Search Text	DBs	Time Stamp
10	BRS	L10	80121	(reference and (test or measur\$5)) near4 (signal or light or beam)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 16:58
11	BRS	L11	74	(reflect\$5 near5 ((test or measur\$5) near4 (signal or light or beam))) with (back near4 lens)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 16:58
12	BRS	L12	8	((reference and (test or measur\$5)) near4 (signal or light or beam)) and ((reflect\$5 near5 ((test or measur\$5) near4 (signal or light or beam))) with (back near4 lens)) and (modulat\$5 near4 (beam or light or signal)) and @ad<=20010215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 16:58
13	BRS	L13	2390	modulat\$5 with ((reference and (test or measur\$5)) near4 (signal or light or beam))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 16:58
14	BRS	L14	356	(modulat\$5 with ((reference and (test or measur\$5)) near4 (signal or light or beam))) and "71" and @ad<=20010215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 16:58
15	BRS	L15	2	(modulat\$5 with ((reference and (test or measur\$5)) near4 (signal or light or beam))) and ((reflect\$5 near5 ((test or measur\$5) near4 (signal or light or beam))) with (back near4 lens)) and @ad<=20010215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 16:58
16	BRS	L16	1366	modulat\$5 near6 ((reference and (test or measur\$5)) near4 (signal or light or beam))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 16:58
17	BRS	L17	1	(modulat\$5 near6 ((reference and (test or measur\$5)) near4 (signal or light or beam))) and ((reflect\$5 near5 ((test or measur\$5) near4 (signal or light or beam))) with (back near4 lens)) and @ad<=20010215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 16:58
18	BRS	L18	186	((modulat\$5 near3 light) with ((reference and (test or measur\$5)) near4 (signal or light or beam))) and ((determin\$5 or detect\$5 or measur\$5 or test\$5 or monitor\$5 or calculat\$5 or inspect\$5) near6 (part or workpiece or (work adj piece) or object or wafer)) and @ad<=20010215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 16:58

	Type	L #	Hits	Search Text	DBs	Time Stamp
19	BRS	L19	45	((modulat\$5 or chop\$5 or fan\$5) with ((reference near2 (beam or light or signal)) and (test\$5 or measur\$5) near2 (beam or signal or light))) and retroreflect\$5 and @ad<=20010215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 16:59
20	BRS	L20	4	((modulat\$5 near3 light) with ((reference and (test or measur\$5)) near4 (signal or light or beam))) and ((determin\$5 or detect\$5 or measur\$5 or test\$5 or monitor\$5 or calculat\$5 or inspect\$5) near6 (part or workpiece or (work adj piece) or object or wafer)) and @ad<=20010215) and (reflect\$5 near5 (back near4 lens))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 16:59